



**University of
Zurich**^{UZH}

**Zurich Open Repository and
Archive**

University of Zurich
University Library
Strickhofstrasse 39
CH-8057 Zurich
www.zora.uzh.ch

Year: 2020

**Students Supporting Critical Care - A contention plan to prevent the
decompensation of ICUs in the COVID-19 pandemic:Translating Bjorn
Ibsens' polio-lessons to modern times**

Wendel Garcia, Pedro David ; Massarotto, Paola ; Auinger, Katja ; Schuepbach, Reto Andreas ;
Klinzing, Stephanie

DOI: <https://doi.org/10.1186/s13054-020-02919-1>

Posted at the Zurich Open Repository and Archive, University of Zurich

ZORA URL: <https://doi.org/10.5167/uzh-197370>

Journal Article

Published Version



The following work is licensed under a Creative Commons: Attribution 4.0 International (CC BY 4.0) License.

Originally published at:

Wendel Garcia, Pedro David; Massarotto, Paola; Auinger, Katja; Schuepbach, Reto Andreas; Klinzing, Stephanie (2020). Students Supporting Critical Care - A contention plan to prevent the decompensation of ICUs in the COVID-19 pandemic:Translating Bjorn Ibsens' polio-lessons to modern times. Critical Care, 24:211.

DOI: <https://doi.org/10.1186/s13054-020-02919-1>

LETTER

Open Access



Students Supporting Critical Care – A contention plan to prevent the decompensation of ICUs in the COVID-19 pandemic: Translating Bjorn Ibsens' polio-lessons to modern times

Pedro David Wendel Garcia, Paola Massarotto, Katja Auinger, Reto Andreas Schuepbach*  and Stephanie Klinzing

On 27 August 1952, in Copenhagen, over 3000 patients had been diagnosed with poliomyelitis, 335 with severe progression of disease and 31 with bulbar-polio in need of respiratory support, of whom 27 died about 3 days after admission [1]. That day, Bjørn Ibsen successfully tracheotomized, relaxed, and positive-pressure ventilated a dying, quadriplegic 12-year-old girl, implementing a therapy that revolutionized polio patient management, reducing mortality from 87 to 22%. Nevertheless, the key to logistically enable the ventilation of all severely paralyzed polio patients over weeks laid in the 600 nurses supported by 250 medical students, who would actuate the bellows at the bedside [2].

As of 26 March 2020, 520,395 patients worldwide have been infected by SARS-CoV-2; of these, 19,238 are in a critical state and 23,593 have died. In Italy, within a time-frame of 35 days and after 80,589 positive COVID-19 tests, 3612 patients require critical care and mortality has risen to 10.2% (8215). The developments in China and Italy have shown the incredible challenges health care systems face with this exponentially progressing pandemic [3]. In contrast to China, the distinct separation between international, national, and regional health care systems in Europe,

coupled with the rapid territorial spread of COVID-19, makes a selective deployment of personnel resources to affected regions as well as a generalized quarantine impossible [4, 5].

In light of this public health emergency, Ibsen's ideas return to critical care: we propose the training and deployment of medical students in ICUs to support the management of COVID-19 patients. By supplementing senior nurses with specifically trained medical students, a constantly growing support structure can be established. We believe that the key to success is focused training and a narrow framework of responsibility for these students; a nursing support structure is being created, not a replacement for trained intensivists.

The goal here is to teach a basic understanding of COVID-19 regarding hygienic standards and characteristics of patient decompensation, as well as ICU monitoring standards, supportive hemodynamic/respiratory care, and patient management and nursing. Focus should be placed on the early recognition of patient deterioration and effective reporting to senior nurses and treating physicians (Table 1).

Herewith, we provide access to our continuously developing training resources. National and international

* Correspondence: reto.schuepbach@usz.ch
Institute of Intensive Care Medicine, University Hospital Zurich, Zurich, Switzerland



© The Author(s). 2020 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Table 1 Goals, scope, and training for medical students supporting critical care management**Overall goal**

- Care and monitoring of ICU patients including COVID-19 patients under supervision of senior ICU nurses

Scope of responsibility

- Monitoring and reporting on:
 - Clinical status (temperature, GCS, heart-frequency, blood-pressure, respiratory-frequency, arterial BGA)
 - Respiratory support via nasal cannula, bag mask, high flow or NIV (oxygen flow and ventilation settings)
 - Respiratory support of intubated patients under direct supervision
- Control, maintenance, and reporting on installations and infusions (central venous lines, drains, urinary catheter, etc.)
- Support in emergency situations (cardiac/respiratory arrest)
- Support during patient transport and medical interventions
- Care of patients
 - Management and nursing of the conscious patient (assistance in primary needs)
 - Management and nursing of the unconscious patient
 - Bedding and mobilization
 - Ensuring standard hygiene and preventive measures
- General support of nurses

Theoretical and hands-on training focus

- Confidentiality, documentation, reporting
- Infectology, self-protection, hygiene, and management of infectious patients
- Catheters and ICU installations
- Infusions and nutrition in the ICU
- Microbiological sampling, including blood samples and arterial blood gas collection
- Hemodynamics
 - Anatomical and physiological considerations
 - Non-invasive and invasive blood pressure, heart-frequency assessment
 - Basic vasopressor and inotropic management
 - Cardiac and respiratory arrest
- Ventilation
 - Anatomical and physiological considerations
 - High-Flow and NIV
 - VAP prevention
 - Basic mechanical ventilation management
 - Ventilation via bag-valve mask
- Correct mobilization and bedding-position techniques (prone position)
- Basic communication, ethical aspects, patient safety, and self-care in crisis situations

Link to full

resources: <http://www.intensivmedizin.usz.ch/fachwissen/Seiten/COVID-19-Epidemics.aspx>

cooperation should be encouraged from the inception of this pandemic; resource-intensive logistic plans should be jointly designed and openly shared by specialized hospitals and institutions in an effort to aid rapid implementation of global containment infrastructures.

Acknowledgements

We thank all ICU nurses, doctors, and administrative staff of our institution contributing to educational and teaching lessons of this project and our Danish collaborators at FADL; we give special thanks to L. Käser, L. Imbach, T. Krones, A. Westphalen, P. Andersen, A. Rosenkrantz Bruun, L. Plastina, N. Rakic, C. Giese, and all medical students of the University of Zurich, for their unflagging endeavor in creating this support structure in such a short time.

Authors' contributions

All authors contributed to the projects conception and design. Material collection and preparation was performed by PM, KA, RAS, and SK. The first

draft of the manuscript was written by PDWG, and all authors commented on previous versions of the manuscript. All authors read and approved the final.

Funding

There is no funding source to disclose. The article was neither commissioned, nor was payment accepted to write this manuscript.

Availability of data and materials

All training resources and data referred to in this manuscript can be found on our repository under the following link: <http://www.intensivmedizin.usz.ch/fachwissen/Seiten/COVID-19-Epidemics.aspx>

Ethics approval and consent to participate

Not applicable.

Consent for publication

Not applicable.

Competing interests

The authors declare that they have no competing interest.

Received: 9 April 2020 Accepted: 24 April 2020

Published online: 08 May 2020

References

- West JB: The physiological challenges of the 1952 Copenhagen poliomyelitis epidemic and a renaissance in clinical respiratory physiology. *J Appl Physiol.* 2005;99(2):424–32.
- Lassen HC: The epidemic of poliomyelitis in Copenhagen, 1952. *Proc R Soc Med.* 1954;47(1):67–1.
- Hellewell J, Abbott S, Gimma A, Bosse NI, Jarvis CI, Russell TW, Munday JD, Kucharski AJ, Edmunds WJ, Sun F et al: Feasibility of controlling COVID-19 outbreaks by isolation of cases and contacts. *Lancet Glob Health.* 2020;8(4):e488–e496.
- Qiu H, Tong Z, Ma P, Hu M, Peng Z, Wu W, Du B, China Critical Care Clinical Trials G: Intensive care during the coronavirus epidemic. *Intensive Care Med.* 2020;46(4):576–8.
- Zhang S, Diao MY, Duan L, Lin Z, Chen D: The novel coronavirus (SARS-CoV-2) infections in China: prevention, control and challenges. *Intensive Care Med.* 2020;46(4):591–3.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.